

# task\_ci1z102x25jmpzvs\_with\_calculation

## Student Group

| First Name | Surname | Matrikel Nr. |
|------------|---------|--------------|
|            |         |              |
|            |         |              |
|            |         |              |

## Table of Contents

Exercise E1 Electrostatics II (written test, approx. 10 % of a 120-minute written test, SS2024)

..... 2

electrostatic, electric field strength, exam ee2 SS2024


### Exercise E1 Electrostatics II

(written test, approx. 10 % of a 120-minute written test, SS2024)

You must analyze an aluminum profile for usage in an environment critical for electrostatic discharge.

The figure on the right shows the cross-section of the aluminum element (hatched). During the application, it might get charged up. All areas in white consist of air (= dielectric).

Six designated areas are shown by dashed frames and numbers n, which are partly inside the object.



Arrange the designated areas clearly according to ascending field strengths  $|\vec{E}_n|$  (absolute magnitude)! Indicate also, if designated areas have quantitatively the same field strength.

Result

$$|E_1|=|E_2|=0 < |E_5| < |E_6| < |E_4| < |E_3|$$

From:

<https://wiki.mexle.te.hs-heilbronn.de/> - **MEXLE Wiki**

Permanent link:

[https://wiki.mexle.te.hs-heilbronn.de/electrical\\_engineering\\_and\\_electronics/task\\_ci1z102x25jmpzvs\\_with\\_calculation](https://wiki.mexle.te.hs-heilbronn.de/electrical_engineering_and_electronics/task_ci1z102x25jmpzvs_with_calculation)

Last update: **2024/07/15 15:48**

