

calc_binary_example

Student Group

First Name	Surname	Matrikel Nr.

Table of Contents

Calculation example for binary value

Idea: The numeral \$2658.47\$ is only the representation with the digits \$[0..9]\$, but what is the value behind it?

so lets start

1. Put space between the digits

\$\quad\$

```
\begin{align*} \begin{smallmatrix} \color{black}{\text{numeral:}} & \color{black}{} & \color{black}{1} & \color{black}{0} & \color{black}{0} & \color{black}{1} & \color{black}{1} & \color{black}{1} & \color{black}{0} & \color{black}{1} \\ \color{white}{\text{index:}} & \color{white}{i} & \color{white}{7} & \color{white}{6} & \color{white}{5} & \color{white}{4} & \color{white}{3} & \color{white}{2} & \color{white}{1} & \color{white}{0} \\ \color{white}{\text{place factor:}} & \color{white}{B^i} & \color{white}{2^7} & \color{white}{2^6} & \color{white}{2^5} & \color{white}{2^4} & \color{white}{2^3} & \color{white}{2^2} & \color{white}{2^1} & \color{white}{2^0} \\ \color{white}{\text{digits }} & \color{white}{z_i} & \color{white}{1} & \color{white}{0} & \color{white}{0} & \color{white}{1} & \color{white}{1} & \color{white}{1} & \color{white}{0} & \color{white}{1} \\ \color{white}{\text{place value:}} & \color{white}{z_i \cdot B^i} & \color{white}{128} & \color{white}{64} & \color{white}{32} & \color{white}{16} & \color{white}{8} & \color{white}{4} & \color{white}{2} & \color{white}{1} \\ \color{white}{\text{result:}} & \color{white}{\sum_i z_i \cdot B^i} & \color{white}{157} \end{smallmatrix} \end{align*}
```

2. Write down the index for each position.

\$\quad\$

```
\begin{align*} \begin{smallmatrix} \color{black}{\text{numeral:}} & \color{black}{} & \color{black}{1} & \color{black}{0} & \color{black}{0} & \color{black}{1} & \color{black}{1} & \color{black}{1} & \color{black}{0} & \color{black}{1} \\ \color{blue}{\text{index:}} & \color{blue}{i} & \color{blue}{7} & \color{blue}{6} & \color{blue}{5} & \color{blue}{4} & \color{blue}{3} & \color{blue}{2} & \color{blue}{1} & \color{blue}{0} \\ \color{white}{\text{place factor:}} & \color{white}{B^i} & \color{white}{2^7} & \color{white}{2^6} & \color{white}{2^5} & \color{white}{2^4} & \color{white}{2^3} & \color{white}{2^2} & \color{white}{2^1} & \color{white}{2^0} \\ \color{white}{\text{digits }} & \color{white}{z_i} & \color{white}{1} & \color{white}{0} & \color{white}{0} & \color{white}{1} & \color{white}{1} & \color{white}{1} & \color{white}{0} & \color{white}{1} \\ \color{white}{\text{place value:}} & \color{white}{z_i \cdot B^i} & \color{white}{128} & \color{white}{64} & \color{white}{32} & \color{white}{16} & \color{white}{8} & \color{white}{4} & \color{white}{2} & \color{white}{1} \\ \color{white}{\text{result:}} & \color{white}{\sum_i z_i \cdot B^i} & \color{white}{157} \end{smallmatrix} \end{align*}
```

3. calculate the place factor

$$\quad$$
$$\begin{aligned} & \begin{matrix} \text{align*} \end{matrix} \begin{matrix} \begin{matrix} \text{smallmatrix} \end{matrix} \begin{matrix} \text{color{black}} \end{matrix} \end{matrix} \{\text{text{numeral}}\} \cdot \begin{matrix} \text{color{black}} \end{matrix} \{\} \cdot \\ & \begin{matrix} \text{color{black}} \end{matrix} \{1\} \cdot \begin{matrix} \text{color{black}} \end{matrix} \{0\} \cdot \begin{matrix} \text{color{black}} \end{matrix} \{0\} \cdot \begin{matrix} \text{color{black}} \end{matrix} \{1\} \cdot \begin{matrix} \text{color{black}} \end{matrix} \{1\} \cdot \\ & \begin{matrix} \text{color{black}} \end{matrix} \{1\} \cdot \begin{matrix} \text{color{black}} \end{matrix} \{0\} \cdot \begin{matrix} \text{color{black}} \end{matrix} \{1\} \parallel \begin{matrix} \text{color{black}} \end{matrix} \{\text{text{index}}\} \cdot \cdot \\ & \begin{matrix} \text{color{black}} \end{matrix} \{i\} \cdot \begin{matrix} \text{color{black}} \end{matrix} \{7\} \cdot \begin{matrix} \text{color{black}} \end{matrix} \{6\} \cdot \begin{matrix} \text{color{black}} \end{matrix} \{5\} \cdot \begin{matrix} \text{color{black}} \end{matrix} \{4\} \cdot \cdot \\ & \begin{matrix} \text{color{black}} \end{matrix} \{3\} \cdot \begin{matrix} \text{color{black}} \end{matrix} \{2\} \cdot \begin{matrix} \text{color{black}} \end{matrix} \{1\} \cdot \begin{matrix} \text{color{black}} \end{matrix} \{0\} \parallel \\ & \begin{matrix} \text{color{blue}} \end{matrix} \{\text{text{place factor}}\} \cdot \begin{matrix} \text{color{blue}} \end{matrix} \{B^i\} \cdot \begin{matrix} \text{color{blue}} \end{matrix} \{2^7\} \cdot \begin{matrix} \text{color{blue}} \end{matrix} \{2^6\} \\ & \cdot \begin{matrix} \text{color{blue}} \end{matrix} \{2^5\} \cdot \begin{matrix} \text{color{blue}} \end{matrix} \{2^4\} \cdot \begin{matrix} \text{color{blue}} \end{matrix} \{2^3\} \cdot \begin{matrix} \text{color{blue}} \end{matrix} \{2^2\} \cdot \\ & \begin{matrix} \text{color{blue}} \end{matrix} \{2^1\} \cdot \begin{matrix} \text{color{blue}} \end{matrix} \{2^0\} \parallel \begin{matrix} \text{color{white}} \end{matrix} \{\} \cdot \begin{matrix} \text{color{white}} \end{matrix} \{\} \cdot \\ & \begin{matrix} \text{color{white}} \end{matrix} \{128\} \cdot \begin{matrix} \text{color{white}} \end{matrix} \{64\} \cdot \begin{matrix} \text{color{white}} \end{matrix} \{32\} \cdot \begin{matrix} \text{color{white}} \end{matrix} \{16\} \cdot \\ & \begin{matrix} \text{color{white}} \end{matrix} \{8\} \cdot \begin{matrix} \text{color{white}} \end{matrix} \{4\} \cdot \begin{matrix} \text{color{white}} \end{matrix} \{2\} \cdot \begin{matrix} \text{color{white}} \end{matrix} \{1\} \parallel \\ & \begin{matrix} \text{color{white}} \end{matrix} \{\text{text{digits}}\} \cdot \begin{matrix} \text{color{white}} \end{matrix} \{z_i\} \cdot \begin{matrix} \text{color{white}} \end{matrix} \{1\} \cdot \begin{matrix} \text{color{white}} \end{matrix} \{0\} \cdot \\ & \begin{matrix} \text{color{white}} \end{matrix} \{0\} \cdot \begin{matrix} \text{color{white}} \end{matrix} \{1\} \cdot \begin{matrix} \text{color{white}} \end{matrix} \{1\} \cdot \begin{matrix} \text{color{white}} \end{matrix} \{1\} \cdot \begin{matrix} \text{color{white}} \end{matrix} \{0\} \cdot \\ & \begin{matrix} \text{color{white}} \end{matrix} \{1\} \parallel \begin{matrix} \text{color{white}} \end{matrix} \{\text{text{place value}}\} \cdot \begin{matrix} \text{color{white}} \end{matrix} \{z_i \cdot B^i\} \cdot \\ & \begin{matrix} \text{color{white}} \end{matrix} \{128\} \cdot \begin{matrix} \text{color{white}} \end{matrix} \{0\} \cdot \begin{matrix} \text{color{white}} \end{matrix} \{0\} \cdot \begin{matrix} \text{color{white}} \end{matrix} \{16\} \cdot \begin{matrix} \text{color{white}} \end{matrix} \{8\} \\ & \cdot \begin{matrix} \text{color{white}} \end{matrix} \{4\} \cdot \begin{matrix} \text{color{white}} \end{matrix} \{0\} \cdot \begin{matrix} \text{color{white}} \end{matrix} \{1\} \parallel \begin{matrix} \text{color{white}} \end{matrix} \{\text{text{result}}\} \cdot \\ & \begin{matrix} \text{color{white}} \end{matrix} \{\sum_i z_i \cdot B^i\} \cdot \cdot \cdot \begin{matrix} \text{color{white}} \end{matrix} \{157\} \parallel \end{matrix} \end{matrix} \end{aligned}$$

3. calculate the place factor

(= ..., thousands, hundreds, tens, ones, tenths, ...)

$$\begin{aligned} & \begin{matrix} \text{numeral:} \\ \text{index:} \\ \text{place factor:} \\ \text{digits:} \\ \text{place value:} \\ \text{result:} \end{matrix} \\ & \begin{matrix} \text{B}^i \\ 2^7 \\ 2^6 \\ 2^5 \\ 2^4 \\ 2^3 \\ 2^2 \\ 2^1 \\ 2^0 \end{matrix} \\ & \begin{matrix} z_i \\ z_i \cdot B^i \end{matrix} \\ & \sum_i z_i \cdot B^i \end{aligned}$$

4. write down each digit of the numeral

$$\quad$$
$$\begin{aligned} & \begin{pmatrix} \text{numeral:} & & & & \\ & 1 & 0 & 0 & 1 & 1 \\ & 1 & 0 & 1 & & \\ & i & 7 & 6 & 5 & 4 \\ & 3 & 2 & 1 & 0 & \\ & \text{place factor:} & B^i & 2^7 & \\ & 2^6 & 2^5 & 2^4 & 2^3 & \\ & 2^2 & 2^1 & 2^0 & & \end{pmatrix} \end{aligned}$$

```
\color{black}{} & \color{black}{128} & \color{black}{64} & \color{black}{32} & \color{black}{16}
& \color{black}{8} & \color{black}{4} & \color{black}{2} & \color{black}{1} \\ \color{blue}
\{\text{digits} \}: & \color{blue}{z_i} & \color{blue}{1} & \color{blue}{0} & \color{blue}{0} &
\color{blue}{1} & \color{blue}{1} & \color{blue}{1} & \color{blue}{0} & \color{blue}{1} \\
\color{white}\{\text{place value} \}: & \color{white}{z_i \cdot B^i} & \color{white}{128} &
\color{white}{0} & \color{white}{0} & \color{white}{16} & \color{white}{8} & \color{white}{4} &
\color{white}{0} & \color{white}{1} \\ \color{white}\{\text{result} \}: & \color{white}{\sum_i z_i
\cdot B^i} \} & & & \color{white}{157} \\ \end{smallmatrix} \end{align*}
```

5. calculate the place value

\$\quad\$

```
\begin{align*} \begin{smallmatrix} \color{black}\{\text{numeral} \}: & \color{black}{} &
\color{black}{1} & \color{black}{0} & \color{black}{0} & \color{black}{1} & \color{black}{1} &
\color{black}{1} & \color{black}{0} & \color{black}{1} \\ \color{blue}\{\text{index} \}: &
\color{black}{i} & \color{black}{7} & \color{black}{6} & \color{black}{5} & \color{black}{4} &
\color{black}{3} & \color{black}{2} & \color{black}{1} & \color{black}{0} \\
\color{black}\{\text{place factor} \}: & \color{black}{B^i} & \color{black}{2^7} &
\color{black}{2^6} & \color{black}{2^5} & \color{black}{2^4} & \color{black}{2^3} &
\color{black}{2^2} & \color{black}{2^1} & \color{black}{2^0} \\ \color{white}{} &
\color{black}{} & \color{black}{128} & \color{black}{64} & \color{black}{32} & \color{black}{16}
& \color{black}{8} & \color{black}{4} & \color{black}{2} & \color{black}{1} \\
\color{black}\{\text{digits} \}: & \color{black}{z_i} & \color{black}{1} & \color{black}{0} &
\color{black}{0} & \color{black}{1} & \color{black}{1} & \color{black}{1} & \color{black}{0} &
\color{black}{1} \\ \color{blue}\{\text{place value} \}: & \color{blue}{z_i \cdot B^i} & \color{blue}
{128} & \color{blue}{0} & \color{blue}{0} & \color{blue}{16} & \color{blue}{8} &
\color{blue}{4} & \color{blue}{0} & \color{blue}{1} \\ \color{white}\{\text{result} \}: &
\color{white}{\sum_i z_i \cdot B^i} \} & & & \color{white}{157} \\ \end{smallmatrix}
\end{align*}
```

6.Add all place values

\$\quad\$

```
\begin{align*} \begin{smallmatrix} \color{black}\{\text{numeral} \}: & \color{black}{} &
\color{black}{1} & \color{black}{0} & \color{black}{0} & \color{black}{1} & \color{black}{1} &
\color{black}{1} & \color{black}{0} & \color{black}{1} \\ \color{blue}\{\text{index} \}: &
\color{black}{i} & \color{black}{7} & \color{black}{6} & \color{black}{5} & \color{black}{4} &
\color{black}{3} & \color{black}{2} & \color{black}{1} & \color{black}{0} \\
\color{black}\{\text{place factor} \}: & \color{black}{B^i} & \color{black}{2^7} &
\color{black}{2^6} & \color{black}{2^5} & \color{black}{2^4} & \color{black}{2^3} &
\color{black}{2^2} & \color{black}{2^1} & \color{black}{2^0} \\ \color{white}{} &
\color{black}{} & \color{black}{128} & \color{black}{64} & \color{black}{32} & \color{black}{16}
& \color{black}{8} & \color{black}{4} & \color{black}{2} & \color{black}{1} \\
\color{black}\{\text{digits} \}: & \color{black}{z_i} & \color{black}{1} & \color{black}{0} &
\color{black}{0} & \color{black}{1} & \color{black}{1} & \color{black}{1} & \color{black}{0} &
\color{black}{1} \\ \color{black}\{\text{place value} \}: & \color{black}{z_i \cdot B^i} & \color{black}
{128} & \color{black}{0} & \color{black}{0} & \color{black}{16} & \color{black}{8} &
\color{black}{4} & \color{black}{0} & \color{black}{1} \\ \color{blue}\{\text{result} \}: &
\color{blue}{\sum_i z_i \cdot B^i} \} & & & \color{blue}{157} \\ \end{smallmatrix}
\end{align*}
```

From:
<https://wiki.mexle.te.hs-heilbronn.de/> - **MEXLE Wiki**

Permanent link:
https://wiki.mexle.te.hs-heilbronn.de/introduction_to_digital_systems/calc_binary_example?rev=1631852471

Last update: **2021/09/17 06:21**

