

calc_decimal_example

Student Group

First Name	Surname	Matrikel Nr.

Table of Contents

Calculation example for decimal value

Idea: The numeral \$2658.47\$ is only the representation with the digits $[0..9]$, but what is the value behind it?

so lets start

1. Put space between the digits

 $\quad$
$$\begin{matrix} \text{\color{black}\text{\textit{numeral}}:} & \& \text{\color{black}} \\ \text{\color{black}{2}} & \& \text{\color{black}{6}} & \& \text{\color{black}{5}} & \& \text{\color{black}{8.}} & \& \text{\color{black}{4}} & \& \\ \text{\color{black}{7}} & \backslash\! \& \text{\color{white}\text{\textit{index}}:} & \& \text{\color{white}{i}} & \& \text{\color{white}{3}} & \& \\ \text{\color{white}{2}} & \& \text{\color{white}{1}} & \& \text{\color{white}{0}} & \& \text{\color{white}{-1}} & \& \text{\color{white}{-2}} & \backslash\! \& \\ \text{\color{white}\text{\textit{place factor}}:} & \& \text{\color{white}{B^i}} & \& \text{\color{white}{10^3}} & \& \\ \text{\color{white}{10^2}} & \& \text{\color{white}{10^1}} & \& \text{\color{white}{10^0}} & \& \text{\color{white}{10^{-1}}} & \& \\ \text{\color{white}{10^{-2}}} & \backslash\! \& \text{\color{white}} & \& \text{\color{white}} & \& \text{\color{white}{1000}} & \& \\ \text{\color{white}{100}} & \& \text{\color{white}{10}} & \& \text{\color{white}{1}} & \& \text{\color{white}{0.1}} & \& \\ \text{\color{white}{0.01}} & \backslash\! \& \text{\color{white}\text{\textit{digits}}:} & \& \text{\color{white}{z_i}} & \& \text{\color{white}{2}} & \& \\ \text{\color{white}{6}} & \& \text{\color{white}{5}} & \& \text{\color{white}{8}} & \& \text{\color{white}{4}} & \& \text{\color{white}{7}} & \backslash\! \& \\ \text{\color{white}\text{\textit{place value}}:} & \& \text{\color{white}{z_i \cdot B^i}} & \& \text{\color{white}{2000}} & \& \\ \text{\color{white}{600}} & \& \text{\color{white}{50}} & \& \text{\color{white}{8}} & \& \text{\color{white}{0.4}} & \& \\ \text{\color{white}{0.07}} & \backslash\! \& \text{\color{white}\text{\textit{result}}:} & \& \text{\color{white}{\sum_i z_i \cdot B^i}} & \& \& \& \\ \text{\color{white}{2658.47}} & \backslash\! \end{matrix} \end{matrix}$$

2. Write down the index for each position.

 $\quad$
$$\begin{aligned} & \text{\textcolor{black}{\text{numeral}}:} & \text{\textcolor{black}{}} & \text{\textcolor{black}{2}} & \text{\textcolor{black}{6}} & \text{\textcolor{black}{5}} & \text{\textcolor{black}{8.}} & \text{\textcolor{black}{4}} & \text{\textcolor{black}{7}} \\ & \text{\textcolor{blue}{\text{index}}:} & \text{\textcolor{blue}{i}} & \text{\textcolor{blue}{3}} & \text{\textcolor{blue}{2}} & \text{\textcolor{blue}{1}} & \text{\textcolor{blue}{0}} & \text{\textcolor{blue}{-1}} & \text{\textcolor{blue}{-2}} \\ & \text{\textcolor{white}{\text{place factor}}:} & \text{\textcolor{white}{B^i}} & \text{\textcolor{white}{10^3}} & \text{\textcolor{white}{10^2}} & \text{\textcolor{white}{10^1}} & \text{\textcolor{white}{10^0}} & \text{\textcolor{white}{10^{-1}}} & \text{\textcolor{white}{10^{-2}}} \\ & \text{\textcolor{white}{}} & \text{\textcolor{white}{}} & \text{\textcolor{white}{1000}} & \text{\textcolor{white}{100}} & \text{\textcolor{white}{10}} & \text{\textcolor{white}{1}} & \text{\textcolor{white}{0.1}} & \text{\textcolor{white}{0.01}} \\ & \text{\textcolor{white}{\text{digits}}:} & \text{\textcolor{white}{z_i}} & \text{\textcolor{white}{2}} & \text{\textcolor{white}{6}} & \text{\textcolor{white}{5}} & \text{\textcolor{white}{8}} & \text{\textcolor{white}{4}} & \text{\textcolor{white}{7}} \\ & \text{\textcolor{white}{\text{place value}}:} & \text{\textcolor{white}{z_i \cdot B^i}} & \text{\textcolor{white}{2000}} & \text{\textcolor{white}{600}} & \text{\textcolor{white}{50}} & \text{\textcolor{white}{8}} & \text{\textcolor{white}{0.4}} & \text{\textcolor{white}{0.07}} \\ & \text{\textcolor{white}{\text{result}}:} & \text{\textcolor{white}{\sum_i z_i \cdot B^i}} & & \text{\textcolor{white}{2658.47}} \end{aligned}$$

3. calculate the place factor

 $\quad$
$$\begin{pmatrix} \text{numeral:} & & & & \\ & 2 & 6 & 5 & 8 & 4 \end{pmatrix}$$

```

\color{black}{7} \\ \color{black}{\text{index}:} & \color{black}{i} & \color{black}{3} &
\color{black}{2} & \color{black}{1} & \color{black}{0} & \color{black}{-1} & \color{black}{-2} \\
\color{blue}{\text{place factor}:} & \color{blue}{B^i} & \color{blue}{10^3} & \color{blue}
{10^2} & \color{blue}{10^1} & \color{blue}{10^0} & \color{blue}{10^{-1}} & \color{blue}
{10^{-2}} \\ \color{white}{} & \color{white}{} & \color{white}{1000} & \color{white}{100} &
\color{white}{10} & \color{white}{1} & \color{white}{0.1} & \color{white}{0.01} \\
\color{white}{\text{digits}:} & \color{white}{z_i} & \color{white}{2} & \color{white}{6} &
\color{white}{5} & \color{white}{8} & \color{white}{4} & \color{white}{7} \\
\color{white}{\text{place value}:} & \color{white}{z_i \cdot B^i} & \color{white}{2000} &
\color{white}{600} & \color{white}{50} & \color{white}{8} & \color{white}{0.4} &
\color{white}{0.07} \\ \color{white}{\text{result}:} & \color{white}{\sum_i z_i \cdot B^i} & & &
& \color{white}{2658.47} \\ \end{smallmatrix} \end{align*}

```

3. calculate the place factor

(= ..., thousands, hundreds, tens, ones, tenths, ...)

```

\begin{align*} \begin{smallmatrix} \color{black}{\text{numeral}:} & \color{black}{} &
\color{black}{2} & \color{black}{6} & \color{black}{5} & \color{black}{8.} & \color{black}{4} &
\color{black}{7} \\ \color{black}{\text{index}:} & \color{black}{i} & \color{black}{3} &
\color{black}{2} & \color{black}{1} & \color{black}{0} & \color{black}{-1} & \color{black}{-2} \\
\color{blue}{\text{place factor}:} & \color{blue}{B^i} & \color{blue}{10^3} & \color{blue}
{10^2} & \color{blue}{10^1} & \color{blue}{10^0} & \color{blue}{10^{-1}} & \color{blue}
{10^{-2}} \\ \color{blue}{} & \color{blue}{} & \color{blue}{1000} & \color{blue}{100} &
\color{blue}{10} & \color{blue}{1} & \color{blue}{0.1} & \color{blue}{0.01} \\
\color{white}{\text{digits}:} & \color{white}{z_i} & \color{white}{2} & \color{white}{6} &
\color{white}{5} & \color{white}{8} & \color{white}{4} & \color{white}{7} \\
\color{white}{\text{place value}:} & \color{white}{z_i \cdot B^i} & \color{white}{2000} &
\color{white}{600} & \color{white}{50} & \color{white}{8} & \color{white}{0.4} &
\color{white}{0.07} \\ \color{white}{\text{result}:} & \color{white}{\sum_i z_i \cdot B^i} & & &
& \color{white}{2658.47} \\ \end{smallmatrix} \end{align*}

```

4. write down each digit of the numeral

$\$ \quad \$$

```

\begin{align*} \begin{smallmatrix} \color{black}{\text{numeral}:} & \color{black}{} &
\color{black}{2} & \color{black}{6} & \color{black}{5} & \color{black}{8.} & \color{black}{4} &
\color{black}{7} \\ \color{black}{\text{index}:} & \color{black}{i} & \color{black}{3} &
\color{black}{2} & \color{black}{1} & \color{black}{0} & \color{black}{-1} & \color{black}{-2} \\
\color{black}{\text{place factor}:} & \color{black}{B^i} & \color{black}{10^3} & &
\color{black}{10^2} & \color{black}{10^1} & \color{black}{10^0} & \color{black}{10^{-1}} &
\color{black}{10^{-2}} \\ \color{black}{} & \color{black}{} & \color{black}{1000} &
\color{black}{100} & \color{black}{10} & \color{black}{1} & \color{black}{0.1} &
\color{black}{0.01} \\ \color{blue}{\text{digits}:} & \color{blue}{z_i} & \color{blue}{2} &
\color{blue}{6} & \color{blue}{5} & \color{blue}{8} & \color{blue}{4} & \color{blue}{7} \\
\color{white}{\text{place value}:} & \color{white}{z_i \cdot B^i} & \color{white}{2000} &
\color{white}{600} & \color{white}{50} & \color{white}{8} & \color{white}{0.4} &
\color{white}{0.07} \\ \color{white}{\text{result}:} & \color{white}{\sum_i z_i \cdot B^i} & & &
& \color{white}{2658.47} \\ \end{smallmatrix} \end{align*}

```

5. calculate the place value

\$\quad\$

```
\begin{align*} \begin{smallmatrix} \color{black}{\text{numeral:}} & \color{black}{} & \\ \color{black}{2} & \color{black}{6} & \color{black}{5} & \color{black}{8.} & \color{black}{4} & \\ \color{black}{7} & \color{black}{\text{index:}} & \color{black}{i} & \color{black}{3} & & \\ \color{black}{2} & \color{black}{1} & \color{black}{0} & \color{black}{-1} & \color{black}{-2} & \\ \color{black}{\text{place factor:}} & \color{black}{B^i} & \color{black}{10^3} & & & \\ \color{black}{10^2} & \color{black}{10^1} & \color{black}{10^0} & \color{black}{10^{-1}} & & \\ \color{black}{10^{-2}} & \color{black}{} & \color{black}{} & \color{black}{1000} & & \\ \color{black}{100} & \color{black}{10} & \color{black}{1} & \color{black}{0.1} & & \\ \color{black}{0.01} & \color{black}{\text{digits:}} & \color{black}{z_i} & \color{black}{2} & & \\ \color{black}{6} & \color{black}{5} & \color{black}{8} & \color{black}{4} & \color{black}{7} & \\ \color{blue}{\text{place value:}} & \color{blue}{z_i \cdot B^i} & \color{blue}{2000} & & & \\ \color{blue}{600} & \color{blue}{50} & \color{blue}{8} & \color{blue}{0.4} & \color{blue}{0.07} & \\ \color{white}{\text{result:}} & \color{white}{\sum_i z_i \cdot B^i} & & & & \\ \color{white}{2658.47} & & & & & \end{smallmatrix} \end{align*}
```

6. Add all place values

\$\quad\$

```
\begin{align*} \begin{smallmatrix} \color{black}{\text{numeral:}} & \color{black}{} & \\ \color{black}{2} & \color{black}{6} & \color{black}{5} & \color{black}{8.} & \color{black}{4} & \\ \color{black}{7} & \color{black}{\text{index:}} & \color{black}{i} & \color{black}{3} & & \\ \color{black}{2} & \color{black}{1} & \color{black}{0} & \color{black}{-1} & \color{black}{-2} & \\ \color{black}{\text{place factor:}} & \color{black}{B^i} & \color{black}{10^3} & & & \\ \color{black}{10^2} & \color{black}{10^1} & \color{black}{10^0} & \color{black}{10^{-1}} & & \\ \color{black}{10^{-2}} & \color{black}{} & \color{black}{} & \color{black}{1000} & & \\ \color{black}{100} & \color{black}{10} & \color{black}{1} & \color{black}{0.1} & & \\ \color{black}{0.01} & \color{black}{\text{digits:}} & \color{black}{z_i} & \color{black}{2} & & \\ \color{black}{6} & \color{black}{5} & \color{black}{8} & \color{black}{4} & \color{black}{7} & \\ \color{black}{\text{place value:}} & \color{black}{z_i \cdot B^i} & \color{black}{2000 \, +} & & & \\ \color{black}{600 \, +} & \color{black}{50 \, +} & \color{black}{8 \, +} & \color{black}{0.4 \, +} & & \\ \color{black}{0.07} & \color{blue}{\text{result:}} & \color{blue}{\sum_i z_i \cdot B^i} & & & \\ \color{blue}{2658.47} & & & & & \end{smallmatrix} \end{align*}
```

From:

<https://wiki.mexle.te.hs-heilbronn.de/> - **MEXLE Wiki**

Permanent link:

https://wiki.mexle.te.hs-heilbronn.de/introduction_to_digital_systems/calc_decimal_example?rev=1631669974

Last update: **2021/09/15 03:39**

